

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Adores: COMMISSIONER FOR PATENTS P.O. Poly 1859 Alexandra Virginia 22313-1450

APPLICATION NO.				
AFFLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/700,910	11/03/2003	Christopher J. Cormack	42P17675	7764
	590 03/23/2006	EXAMINER		
BLAKELY SOKOLOFF TAYLOR & ZAFMAN 12400 WILSHIRE BOULEVARD			TRAN, QUOC A	
	SEVENTH FLOOR LOS ANGELES, CA 90025-1030		ART UNIT	PAPER NUMBER
LOS MIGELE	5, CA 90023-1030		2176	

DATE MAILED: 03/23/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	10/700,910	CORMACK ET AL.
Office Action Summary	Examiner	Art Unit
	Quoc A. Tran	2176
The MAILING DATE of this communical Period for Reply	tion appears on the cover sheet wi	th the correspondence address
A SHORTENED STATUTORY PERIOD FOR WHICHEVER IS LONGER, FROM THE MAIL - Extensions of time may be available under the provisions of a after SIX (6) MONTHS from the mailing date of this communi - If NO period for reply is specified above, the maximum statute - Failure to reply within the set or extended period for reply will Any reply received by the Office later than three months after earned patent term adjustment. See 37 CFR 1.704(b).	LING DATE OF THIS COMMUNIC OF CFR 1.136(a). In no event, however, may a recation. Only period will apply and will expire SIX (6) MON by statute, cause the application to become AB	CATION. pply be timely filed THS from the mailing date of this communication. ANDONED (35 U.S.C. 8 133)
Status		
1)⊠ Responsive to communication(s) filed o	on 03 November 2003	
_	☐ This action is non-final.	
3) Since this application is in condition for closed in accordance with the practice	allowance except for formal matte	
Disposition of Claims		
4) ☐ Claim(s) <u>1-20</u> is/are pending in the app 4a) Of the above claim(s) is/are v 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) <u>1-20</u> is/are rejected. 7) ☐ Claim(s) is/are objected to.		
8) Claim(s) are subject to restriction	n and/or election requirement.	
Application Papers		
9)☐ The specification is objected to by the E 10)☐ The drawing(s) filed on is/are: a)		the Francisco
Applicant may not request that any objection		
Replacement drawing sheet(s) including the		* *
11) The oath or declaration is objected to by		
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for a) All b) Some * c) None of: 1. Certified copies of the priority doc	uments have been received.	
3. Copies of the certified copies of the		
application from the International		coolved iii tiiis Mational Stage
* See the attached detailed Office action fo	• • • • • • • • • • • • • • • • • • • •	eceived.
Attachment(s)		
1) Notice of References Cited (PTO-892)	4) Interview Su	mmary (PTO-413)
 2) Notice of Draftsperson's Patent Drawing Review (PTO-9) 3) Information Disclosure Statement(s) (PTO-1449 or PTO Paper No(s)/Mail Date 11 and 17. 	948) Paper No(s)/	Mail Date ormal Patent Application (PTO-152)

Art Unit: 2176

DETAILED ACTION

- 1. This action is responsive to Application filed 11/03/2003.
- 2. Claims 1-20 are currently pending in this application. Claims 1, 7, 12 and 16 are independent claims.

Claim Rejections - 35 USC § 101

3. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

4. Claims 1-5 and 16-20 are rejected under 35 U S.C. 101 because the claimed invention is directed to non-statutory subject matter for the reason set forth below:

Regarding independent claims 1-5 and 16-20 are not limited to tangible embodiments.

Claims 1-5 and 16-20 discloses the process such as, "A method, comprising: receiving...storing, modifying...outputting, detecting..." associating with the concept of annotating of media information, are interpreted as software per se, abstracts ideas or mental construct and not tangibly embodied on a computer readable medium or hardware (see WHAT IS THE CLAIMED: pages 14 and 12-18), set forth descriptive material but fail to set forth physical structures or materials comprising of hardware or a combination of hardware and software to produce a "useful and tangible" result;

(1) "USEFUL RESULT", For an invention to be "useful" it must satisfy the utility requirement of section 101 see MPEP § 2107 and Fisher, 421 F.3d at ____, 76 USPQ2d at 1230

Art Unit: 2176

(citing the Utility Guidelines with approval for interpretation of "specific" and "substantial"), and

(2) "TANGIBLE RESULT", For an invention to be "useful" it must satisfy the utility requirement of section 101 see MPEP § 2107 and see Benson, 409 U.S. at 71-72, 175 USPQ at 676-77 (invention ineligible because had "no substantial practical application."). "[A]n application of a law of nature or mathematical formula to a ... process may well be deserving of patent protection." Diehr, 450 U.S. at 187, 209 USPQ at 8 (emphasis added); see also Corning, 56 U.S. (15 How.) at 268, 14 L.Ed. 683 ("It is for the discovery or invention of some practical method or means of producing a beneficial result or effect, that a patent is granted . . .").

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 1-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nelson et al.
 US 20040236830A1 filed 05/15/2003 (hereinafter Nelson), in view of King et al.
 US005600775A issued 02/04/1997 (hereinafter King).

In regard to independent claim 1, receiving an indication that annotation of media information is desired; storing annotation information (see Nelson at page 1 paragraphs [0006] through page 2 paragraph [0014]), describes a systems that provides the ability to be

Art Unit: 2176

notified of annotations through electronic mail (email). Furthermore, once the annotations are made, there is no mechanism for reconstructing the annotations for future reference. Thus, if a person misses the videoconference session for whatever reason, the data is lost; to overcome the above coming the above, Nelson'830 discloses an annotation management configured to mange and store annotation data annotation control data and also configured to provide real-time annotation data to clients of a videoconference session is provided. The method initiates with annotating a display region of a user interface associated with a client of the videoconference session. Then, annotating of the display region is detected,

and modifying ... of the media information to reflect a presence of the annotation information (see Nelson at page 1 paragraph [00011] through page 2 paragraph [0014]), discloses the storage server is configured to store the media data and the annotation data, wherein an event database in communication with the media management server is included to capture events associated with the annotation data. The media analysis server is configured to associate the stored annotation data with the captured events to enable reconstruction of the videoconference session based on the captured events and a graphical user interface (GUI) enabled to provide real-time annotation of display data rendered on a display screen is provided. The GUI includes a media display region corresponding to a media signal. The media display region is capable of being annotated by a videoconference participant, wherein the annotation of the media display region generates an event for storage on an annotation management server. The annotation of the media display region further generates a signal presented to remaining videoconference participants in real-time. A control display region enabling a participant to define control properties associated with the media display region is included.

Art Unit: 2176

Nelson does not explicitly teach, and modifying an index of the media information to reflect a presence of the annotation information, however (see King at col. 2, line 1through col. 3, line 30, also see Fig. 1), discloses the video and annotations are stored separately that provides an indexing scheme relates the annotations to the video frames. On full motion video playback, the annotations are displayed on the originally annotated frames. The annotations can be manipulated independently of the video information. For example, the annotations and video can be transported separately, while the indexing scheme allows the annotations and the video to be recombined at the receiving station.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Nelson's teaching, discloses an annotation management configured to receiving an indication that annotation of media information is desired; storing annotation information and modifying ... of the media information to reflect a presence of the annotation information, to includes a means of modifying an index of the media information to reflect a presence of the annotation information, of King's teaching. One of ordinary skill in the art would have been motivated to modify this combination, because they are from the same field of endeavor of media annotation control and/or management and desirable to provide an annotation tool that allows reductions in production time, more effective utilization of resources, and greater communication in general during creation of multimedia products or other large scale indexed data files in real time interaction among developers and /or users (see King at col. 1 lines 25-67).

Art Unit: 2176

In regard to independent claim 7, incorporates substantially similar subject matter as cited in claim 1 above, and further view of the following, and is similarly rejected along the same rationale,

an interface ...a memory, media information, ...a processor (see Nelson at page 1 paragraph [0008] through page 6 paragraph [0055]), discloses a process, a system, a computer readable media, or a graphical user interface, wherein the annotation data is preserved so that the videoconference session may be reconstructed using computer readable code on a computer readable medium. The computer readable medium is any data storage device that can store data, which can be thereafter read by a computer system. The computer readable medium also includes an electromagnetic carrier wave in which the computer code is embodied. Examples of the computer readable medium include hard drives, network attached storage (NAS), read-only memory, random-access memory, CD-ROMs, CD-Rs, CD-RWs, magnetic tapes, and other optical and non-optical data storage devices. The computer readable medium can also be distributed over a network coupled computer system so that the computer readable code is stored and executed in a distributed fashion),

and to selectively retrieve the annotation information from the memory based on the index information; and a display module to combine the media information and the annotation information for output to a display device, however (see King at col. 2, line 1 through col. 5, line 25, also see Fig. 1), discloses the video and annotations are stored separately that provides an indexing scheme relates the annotations to the video frames. On full motion video playback, the annotations are displayed on the originally annotated frames. The annotations can be manipulated independently of the video information. For example, the

Art Unit: 2176

annotations and video can be transported separately, while the indexing scheme allows the annotations and the video to be recombined at the receiving station. Furthermore, provides input tools in the instruction memory and possibly other input devices in order to store input data into the annotation data structures in the data memory. A graphical element is associated with each annotated data structure. This graphic element is displayed as an overlaying annotation in the video window, where the annotation overlies the video frame, without modifying the video frame during playback of an annotated file.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Nelson's teaching, discloses an annotation management configured to receiving an indication that annotation of media information is desired; storing annotation information and modifying ... of the media information to reflect a presence of the annotation information, to includes a means of selectively retrieve the annotation information from the memory based on the index information; and a display module to combine the media information and the annotation information for output to a display device, of King's teaching. One of ordinary skill in the art would have been motivated to modify this combination, because they are from the same field of endeavor of media annotation control and/or management and desirable to provide an annotation tool that allows reductions in production time, more effective utilization of resources, and greater communication in general during creation of multimedia products or other large scale indexed data files in real time interaction among developers and /or users (see King at col. 1 lines 25-67).

Art Unit: 2176

In regard to independent claim 12, incorporates substantially similar subject matter as cited in claims 1 and 7 above, and further view of the following, and is similarly rejected along the same rationale,

Examiner read an article of manufacture in the broadest reasonable interpretation to the claim limitation; which would have been an obvious variant of media information of claims 1 and 7 above, to a person of ordinary skill in the art at the time the invention was made, and

detecting an annotation marker in the index file; retrieving annotation information associated with the annotation marker; and combining the media information and the annotation information to display annotated media information, however (see King at the Abstract and col. 2, line 1 through col. 6, line 65, also see Fig. 1 and 3), discloses the video and annotations are stored separately that provides an indexing scheme relates the annotations to the video frames. During playback, the annotation memory is monitored to detect annotation data structure for indexed data structures currently being displayed. If an annotation data structure is detected for the current indexed data structure, a graphical element overlies the indexed data structure on the display without modifying the indexed data structure. Text process documents can be handled much in the same manner. Also, annotation from several users may be merged and viewed in one batch. Furthermore (see King in detail at col. 6, lines 5-65), discloses the detail of the indexing schema, such as annotation indication of the index, each multimedia indication of the index and so on, so that on full motion video playback, the annotations are displayed on the originally annotated frames. The annotations can be manipulated independently of the video information. For example, the annotations and video can be transported separately, while the indexing scheme allows the annotations and the video to be recombined at the

Art Unit: 2176

receiving station. Furthermore, provides input tools in the instruction memory and possibly other input devices in order to store input data into the annotation data structures in the data memory.

A graphical element is associated with each annotated data structure. This graphic element is displayed as an overlaying annotation in the video window, where the annotation overlies the video frame, without modifying the video frame during playback of an annotated file,

Examiner read the above in the broadest reasonable interpretation to the claim limitation; wherein the annotation marker would have been an obvious variant of annotation indication of the index, to a person of ordinary skill in the art at the time the invention was made.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Nelson's teaching, discloses an annotation management configured to receiving an indication that annotation of media information is desired; storing annotation information and modifying ... of the media information to reflect a presence of the annotation information, to includes a means of detecting an annotation marker in the index file; retrieving annotation information associated with the annotation marker; and combining the media information and the annotation information to display annotated media information, of King's teaching. One of ordinary skill in the art would have been motivated to modify this combination, because they are from the same field of endeavor of media annotation control and/or management and desirable to provide an annotation tool that allows reductions in production time, more effective utilization of resources, and greater communication in general during creation of multimedia products or other large scale indexed data files in real time interaction among developers and /or users (see King at col. 1 lines 25-67).

Art Unit: 2176

In regard to independent claim 16, incorporates substantially similar subject matter as cited in claims 1, 7 and 12 above, and further view of the following, and is similarly rejected along the same rationale,

Examiner read the above in the broadest reasonable interpretation to the claim limitation; wherein a point in the index file would have been an obvious variant of marker in the index file of claim 12, thus incorporates substantially similar subject matter, to a person of ordinary skill in the art at the time the invention was made.

In regard to dependent claim 2, querying a user for a source of the annotation information before the storing (see Nelson at page 2 paragraph [0013]), providing real-time annotation data to clients with annotating a display region of a user interface associated with a client of the videoconference session. Then, annotating of the display region is detected. In response to detecting the annotating of the display region, the method includes communicating data corresponding to the detecting of the annotating of the display region to other clients of the videoconference session for real-time presentation. Next, the data corresponding to the detecting of the annotating of the display region is stored. Then, the data corresponding to the detecting of the annotating of the display region is associated with data defining the videoconference session).

In regard to dependent claim 3, incorporates substantially similar subject matter as cited in claims 1, and 7 above, and is similarly rejected along the same rationale.

In regard to dependent claim 4, wherein the annotation information includes control data, text, audio information, graphical information, or video information (see Nelson at page 1 paragraph [0008] through page 6 paragraph [0055]), discloses a process, a system, a

Art Unit: 2176

computer readable media, or a graphical user interface, wherein the annotation data is preserved so that the videoconference session may be reconstructed using computer readable code on a computer readable medium.

In regard to dependent claims 5-6, incorporates substantially similar subject matter as cited in claims 1, 7, 12 and 16 above, and is similarly rejected along the same rationale.

In regard to dependent claim 8, a tuner connected to the processor to separate the media information from an input media stream, however (see King at col. 2, line 15 through col. 3, line 35, also see Fig. 1), discloses the video and annotations are stored separately that provides an indexing scheme relates the annotations to the video frames. Also can be characterized as an apparatus (see item 10 (cpu) of Fig. 1) for display and annotation of a file of indexed data structures, wherein types of annotations, which can be created, include free-hand bitmap drawings, text, and audio data. When audio data is used, an icon is used as the graphical element of the annotation data structure, which can be displayed over the indexed data structure to indicate presence of an audio annotation. Also, the annotation graphical element can be positioned on the screen overlaying the indexed data structure using a pointer device which inputs coordinate data for the annotation data structure.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Nelson's teaching, discloses an annotation management configured to receiving an indication that annotation of media information is desired; storing annotation information and modifying ... of the media information to reflect a presence of the annotation information, to includes a tuner that connected to the processor to separate the media information from an input media stream, of King's teaching. One of ordinary skill in the art

Art Unit: 2176

would have been motivated to modify this combination, because they are from the same field of endeavor of media annotation control and/or management and desirable to provide an annotation tool that allows reductions in production time, more effective utilization of resources, and greater communication in general during creation of multimedia products or other large scale indexed data files in real time interaction among developers and /or users (see King at col. 1 lines 25-67).

In regard to dependent claims 9-10, incorporates substantially similar subject matter as cited in claims 3-4 and 7-8 above, and are similarly rejected along the same rationale.

In regard to dependent claim 11, incorporates substantially similar subject matter as cited in claims 1 and 7 above, and further view of the following, and is similarly rejected along the same rationale.

Examiner read a communication link to access annotation content referenced by the annotation information of claim 11 in the broadest reasonable interpretation to the claim limitation; which would have been an obvious variant of an interface to receive annotation information; a memory to store the annotation information, media information, and index information relating to the annotation information and the media information; a processor to retrieve the media information from the memory and to selectively retrieve the annotation information from the memory based on the index information of claims 1 and 7 above, to a person of ordinary skill in the art at the time the invention was made.

In regard to dependent claim 13, incorporates substantially similar subject matter as cited in claims 2-3, 7, 12 and 16 and 7-8 above, and is similarly rejected along the same rationale.

Art Unit: 2176

In regard to dependent claim 14, incorporates substantially similar subject matter as cited in claims 1 and 7 above, and further view of the following, and is similarly rejected along the same rationale,

overlaying the annotation information on the media information, however (see King at col. 2, line 15 through col. 3, line 35, also see Fig. 3), discloses the video and annotations are stored separately that provides an indexing scheme relates the annotations to the video frames.

The annotation data structure includes a graphical element for display overlaying the selected data structure and an indication of an index value for the selected data structure.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Nelson's teaching, discloses an annotation management configured to receiving an indication that annotation of media information is desired; storing annotation information and modifying ... of the media information to reflect a presence of the annotation information, to includes a means of overlaying the annotation information on the media information, of King's teaching. One of ordinary skill in the art would have been motivated to modify this combination, because they are from the same field of endeavor of media annotation control and/or management and desirable to provide an annotation tool that allows reductions in production time, more effective utilization of resources, and greater communication in general during creation of multimedia products or other large scale indexed data files in real time interaction among developers and /or users (see King at col. 1 lines 25-67).

In regard to dependent claim 15, incorporates substantially similar subject matter as cited in claims 1, 7 and 12 above, and further view of the following, and is similarly rejected along the same rationale,

Art Unit: 2176

Examiner read blending the annotation information and the media information of claim

15 in the broadest reasonable interpretation to the claim limitation; which would have been an

obvious variant of modifying an index of the media information to reflect a presence of the

annotation information of claims 1 and 7 above, to a person of ordinary skill in the art at the time
the invention was made.

In regard to dependent claim 17, asking for a type of the annotation information before the receiving and storing, however (see King at col. 2, line 15 through col. 3, line 35, also see Fig. 1), discloses the video and annotations are stored separately that provides an indexing scheme relates the annotations to the video frames, wherein types of annotations, which can be created, include free-hand bitmap drawings, text, and audio data. When audio data is used, an icon is used as the graphical element of the annotation data structure, which can be displayed over the indexed data structure to indicate presence of an audio annotation. Also, the annotation graphical element can be positioned on the screen overlaying the indexed data structure using a pointer device which inputs coordinate data for the annotation data structure.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Nelson's teaching, discloses an annotation management configured to receiving an indication that annotation of media information is desired; storing annotation information and modifying ... of the media information to reflect a presence of the annotation information, to includes a means of asking for a type of the annotation information before the receiving and storing, of King's teaching. One of ordinary skill in the art would have been motivated to modify this combination, because they are from the same field of endeavor of media annotation control and/or management and desirable to provide an annotation tool that

Art Unit: 2176

allows reductions in production time, more effective utilization of resources, and greater communication in general during creation of multimedia products or other large scale indexed data files in real time interaction among developers and /or users (see King at col. 1 lines 25-67).

In regard to dependent claim 18, incorporates substantially similar subject matter as cited in claims 1, 7, 12 and 16 above, and further view of the following, and is similarly rejected along the same rationale.

In regard to dependent claim 19, incorporates substantially similar subject matter as cited in claim 1 above, and further view of the following, and is similarly rejected along the same rationale.

repeating the outputting stored media information based on an associated index file before the detecting a reference to the stored annotation information (see Nelson at page 1 paragraphs [0006] through page 2 paragraph [0014]), describes a systems that provides the ability to be notified of annotations through electronic mail (email). Furthermore, once the annotations are made, there is no mechanism for reconstructing the annotations for future reference. Thus, if a person misses the videoconference session for whatever reason, the data is lost; to overcome the above coming the above, Nelson'830 discloses an annotation management configured to mange and store annotation data annotation control data and also configured to provide real-time annotation data to clients of a videoconference session is provided. The method initiates with annotating a display region of a user interface associated with a client of the videoconference session. Then, annotating of the display region is detected, also (see Nelson at page 1 paragraph [00011] through page 2 paragraph [0014]), discloses the storage server is configured to store the media data and the annotation data, wherein an event database in

Art Unit: 2176

communication with the media management server is included to capture events associated with the annotation data. The media analysis server is configured to associate the stored annotation data with the captured events to enable reconstruction of the videoconference session based on the captured events and a graphical user interface (GUI) enabled to provide real-time annotation of display data rendered on a display screen is provided. The GUI includes a media display region corresponding to a media signal. The media display region is capable of being annotated by a videoconference participant, wherein the annotation of the media display region generates an event for storage on an annotation management server. The annotation of the media display region further generates a signal presented to remaining videoconference participants in real-time. A control display region enabling a participant to define control properties associated with the media display region is included.

In regard to dependent claim 20, incorporates substantially similar subject matter as cited in claims 1, 7, 12 and 16 above, and further view of the following, and is similarly rejected along the same rationale,

determining whether the annotation information should be displayed, and combining the media information and the annotation information if the determining determines that the annotation information should be displayed, however (see King at col. 2, line 15 through col. 12, line 60), discloses the video and annotations are stored separately that provides an indexing scheme relates the annotations to the video frames, wherein types of annotations, which can be created, include free-hand bitmap drawings, text, and audio data. When audio data is used, an icon is used as the graphical element of the annotation data structure, which can be displayed over the indexed data structure to indicate presence of an audio

Art Unit: 2176

annotation. Also, the annotation graphical element can be positioned on the screen overlaying the indexed data structure using a pointer device which inputs coordinate data for the annotation data structure,

further includes the output comparator (i.e. true, open or not or position within note?)
(See table on col. 8),

Examiner read the above in the broadest reasonable interpretation to the claim limitation; wherein whether the annotation information should be displayed would have been an obvious variant of further includes the output comparator (i.e. true, open or not or position within note?) (See table on col. 8), to a person of ordinary skill in the art at the time the invention was made.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to have modified Nelson's teaching, discloses an annotation management configured to receiving an indication that annotation of media information is desired; storing annotation information and modifying ... of the media information to reflect a presence of the annotation information, to includes a means of determining whether the annotation information should be displayed, and combining the media information and the annotation information if the determining determines that the annotation information should be displayed, of King's teaching. One of ordinary skill in the art would have been motivated to modify this combination, because they are from the same field of endeavor of media annotation control and/or management and desirable to provide an annotation tool that allows reductions in production time, more effective utilization of resources, and greater communication in general during creation of multimedia products or other large scale indexed data files in real time interaction among developers and /or users (see King at col. 1 lines 25-67).

Art Unit: 2176

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Quoc A. Tran whose telephone number is (571) 272-4103. The examiner can normally be reached on Monday through Friday from 9 AM to 5 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Herndon R. Heather can be reached on (571) -272-4136. The fax phone number for the organization where this application or proceeding is assigned is (571)-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Quoc A, Tran Patent Examiner Technology Center 2176 March 15, 2006

WILLIAM BASHORE
PRIMARY EXAMINER

Page 18